


ARCHITECTURAL CONCRETE MASONRY

[Serving Oregon]



teredmond com



SPECIFY WITH CONFIDENCE

All our products are manufactured to meet or exceed CMU manufacturing standards for strength and durability. Our commitment to providing high-quality products and excellent customer service will ensure that your project will be customized to your needs.

Meet with one of Basalite's CMU experts to help with your project, from the initial planning stages through final engineering and approval.



⊨

REQUEST SAMPLES

Need product samples? Email info@basaliteredmond.com or call 541-548-5910 to get your samples

TECHNICAL DOCUMENTS

Looking for data sheets, specifications, Environmental Product Declarations and technical notes? Visit basaliteredmond.com

LOCALLY MADE

Every Basalite CMU is proudly manufactured in our Redmond facility, allowing us to deliver precision-made products to you, wherever and whenever you need them.






TABLE OF CONTENTS

CMU

ADVANTAGES | 04

SHAPES

- 4-INCH CMU | 06
- 6-INCH CMU | 06
- 8-INCH CMU | 07
- 10-INCH CMU | 08
- 12-INCH CMU | 08
- 16-INCH CMU | 09

COLORS & TEXTURES

- GROUND FACE COLORS | 10
 - PRECISION COLORS | 11
 - SPLIT FACE COLORS | 12
 - MORTAR COLORS | 14
 - TEXTURES | 15



CONCRETE MASONRY

CMU HAS MORE ADVANTAGES THAN YOU CAN IMAGINE.

MOISTURE PROTECTION & EFFLORESCENCE CONTROL

When it comes to moisture protection, you can specify an Integral Water Repellent (IWR) in both Basalite® block and mortar. During the manufacturing process we use Integral Water Repellent add mixtures that are mixed throughout the concrete. The IWR increases resistance to wind-driven rain, moisture penetration, and reduces efflorescence.

COLORS & TEXTURES

Turn ordinary into a visual masterpiece by blending Basalite® colors, surface textures, sizes and shapes. We offer a large selection of Standard, Premium and special order colors that are available in Split Face, Ground Face and Precision textures. Speak with your local product expert to get samples.

SHAPES & SIZES

Create unique and memorable design details with Basalite®'s variety of concrete masonry sizes and shapes. From a large 24" long block to specialty sills.

RESILIENCY


Buildings and structures with resilient design and materials can recover quicker following disasters, reduce green house emissions and improve the impacts of a building on the health and performance of occupants. Concrete masonry construction has inherent strength, durability, longevity, fire resistance, seismic and blast resistance all of which contribute to the resiliency of the built environment and can contribute to LEED credits




SHAPES | 4-INCH CMU

FOR MORE INFORMATION Contact your local dealer, contractor or visit basaliteredmond.com


SHAPES | 6-INCH CMU




4X8X16 STANDARD P | SF | GF




SOLID P | GF



4X8X16 "L" CORNER P | GF






6X8X16 "L" CORNER SOLID

SF







4X8X8

HALF

SF





4X4X16 HALF HIGH P | SF | GF




4X8X16 "L" CORNER SOLID

SF









8X8X16 STANDARD

P | SF | GF





8X8X16






SINGLE OPEN END P | GF







SHAPES | 6-INCH CMU



6X8X16 STANDARD P | SF | GF



6X8X16 BOND BEAM P | GF



6X8X16 "L" CORNER P | SF | GF

FOR MORE INFORMATION

Contact your local dealer, contractor or visit basaliteredmond.com



6X4X16 HALF HIGH


PIGF

8X4X16 HALF HIGH

P | GF


8X8X8 HALF

P | SF | GF



8X8X16 BOND BEAM

P | SF | GF




8X4X8 HALF HIGH HALF S1F

SHAPES | 10-INCH CMU

FOR MORE INFORMATION Contact your local dealer, contractor or visit basaliteredmond.com


SHAPES | 16-INCH CMU




10X8X16

STANDARD


P | SF | GF



10X8X16 BOND BEAM ____ P | SF | GF





10X8X8 HALF P | GF



10X4X8 HALF HIGH


PIGF






16X8X16 PILASTER PIGF

SHAPES | 12-INCH CMU




12X8X16 STANDARD

P | SF | GF




12X4X16 HALF HIGH

P | GF




12X8X16 BOND BEAM

P | SF | GF




Solid P | GF



12X8X8 HALF

P | SF | GF






FOR MORE INFORMATION Contact your local dealer, contractor or visit basaliteredmond.com

16X8X8 HALF PILASTER

P | GF




Solid P | GF

COLORS | GROUND FACE

FOR MORE INFORMATION Contact your local dealer, contractor or visit basaliteredmond.com

COLORS | PRECISION



10 | Ground Face


Printed colors shown in this brochure may vary from actual product colors. We recommend selecting colors from actual product samples.

Printed colors shown in this brochure may vary from actual product colors. We recommend selecting colors from actual product samples.

FOR MORE INFORMATION Contact your local dealer, contractor or visit basaliteredmond.com

COLORS | SPLIT FACE

FOR MORE INFORMATION Contact your local dealer, contractor or visit basaliteredmond.com



Printed colors shown in this brochure may vary from actual product colors. We recommend selecting colors from actual product samples.



COLORS | MORTAR

STANDARD MORTAR COLORS

CHARCOAL - TYPE	S	Life and the second	
CREAM - TYPE S	12 2 3	to the set	
LIGHT BORDEAUX	- TYPE S		
LIGHT BURGUNDY	- TYPE S		
LIGHT CHARCOAL	- TYPE S		
LIGHT CREAM - TY	PE S	t late the	
LIGHT GOLDENRO	D - TYPE S	E.	



FOR MORE INFORMATION

or visit basaliteredmond.com

Contact your local dealer, contractor

TEXTURES



PREMIUM MORTAR COLORS

BORDEAUX - TYPE S	
BURGUNDY - TYPE S	
CHIANTI - TYPE S	

GOLDENROD - TYPE S

LIGHT KHAKI - TYPE S MT. BROWN - TYPE S ONYX - TYPE S



ULTRA PREMIUM MORTAR COLORS

EBONY - TYPE S

GLACIER - TYPE S

PLUM - TYPE S

KHAKI - TYPE S

FOR MORE INFORMATION Contact your local dealer, contractor or visit basaliteredmond.com



RESILIENCY

A CMU wall is considered to be a good structure for disaster resistance as it can withstand the effects of earthquakes, hurricanes and tornadoes.





1945 S. 1st Street Redmond, OR 97756 **541-548-5910**

basaliteredmond.com

ALBERTA • BRITISH COLUMBIA • CALIFORNIA • COLORADO • IDAHO • NEVADA • OREGON • WASHINGTON

©2023 Basalite® Concrete Products, LLC. All trademarks ® are registered trademarks.