




ARCHITECTURAL CONCRETE MASONRY





3299 International Place Dupont, WA 98327 **253-964-5000**

ALBERTA • BRITISH COLUMBIA • CALIFORNIA • COLORADO • IDAHO • NEVADA • OREGON • WASHINGTON

©2022 Basalite* Concrete Products, LLC. All trademarks * are registered trademarks. BA582-D 12/21/2022

Visit basalite.com, find or follow us on













SPECIFY WITH CONFIDENCE

All our products are manufactured to meet or exceed CMU manufacturing standards for strength and durability. Our commitment to providing high-quality products and excellent customer service will ensure that your project will be customized to your needs.

Meet with one of Basalite's CMU experts to help with your project, from the initial planning stages through final engineering and approval.



REQUEST SAMPLES

Need product samples? Email kennedy.peterson@basalite.com or call 253-964-5000 to get your samples.



TECHNICAL DOCUMENTS

Looking for data sheets, specifications, Environmental Product Declarations and technical notes? Visit basalite-cmu.com



LOCALLY MADE

Every Basalite CMU is proudly manufactured in our Dupont facility, allowing us to deliver precision-made products to you, wherever and whenever you need them.







TABLE OF CONTENTS

CMU

ADVANTAGES | 3

SHAPES

- ABRI | 5
- 4 INCH CMU | 6
- 6 INCH CMU | 6
- 8 INCH CMU | 7
- 10 INCH CMU | 8
- 12 INCH CMU | 8

SPECIALTY

- SILLS, CAPS & LINTELS | 9
 - SPEC-BRIK® | 10
- INSULATION INSERTS | 11

COLORS & TEXTURES


- GROUND FACE | 10
 - SPLIT FACE | 11
 - PRECISION | 12
 - MORTAR | 13

BRICK

- INTERSTATE BRICK | 14
 - H.C. MUDDOX | 14
 - PACIFIC CLAY | 14

CONCRETE MASONRY

CMU HAS MORE ADVANTAGES THAN YOU CAN IMAGINE.



MOISTURE PROTECTION & EFFLORESCENCE CONTROL

When it comes to moisture protection, you can specify an Integral Water
Repellent (IWR) in both Basalite® block and mortar. During the manufacturing process we use Integral Water
Repellent add mixtures that are mixed throughout the concrete. The IWR increases resistance to wind-driven rain, moisture penetration, and reduces efflorescence.

COLORS & TEXTURES

Turn ordinary into a visual masterpiece by blending Basalite® colors, surface textures, sizes and shapes. We offer a large selection of Standard, Premium and special order colors that are available in Split Face, Ground Face and Precision textures. Speak with your local product expert to get samples.

SHAPES & SIZES

Create unique and memorable design details with Basalite®'s variety of concrete masonry sizes and shapes.

From a large 24" long block to specialty sills and caps. See pages 4-7 to see all available CMU sizes and shapes.

RESILIENCY

Buildings and structures with resilient design and materials can recover quicker following disasters, reduce green house emissions and improve the impacts of a building on the health and performance of occupants. Concrete masonry construction has inherent strength, durability, longevity, fire resistance, seismic and blast resistance all of which contribute to the resiliency of the built environment and can contribute to LEED credits.

THERMAL PERFORMANCE

Due to the thermal mass of concrete masonry construction, some energy codes and standards require less insulation in CMU buildings than in equivalent light-frame structures.

Although the thermal mass and inherent R-value/U-factor of CMU may be enough to meet energy code requirements (particularly in warmer climates), CMU buildings may need additional insulation. For such conditions, Basalite® offers Korfil insulation inserts. See page 11 for more information.

SUSTAINABILITY

Since concrete masonry lasts longer and requires little maintenance, the need to manufacture new materials is reduced with every new concrete masonry building. Concrete masonry materials can be recycled for other projects into new masonry materials or aggregates. The ability to reuse existing masonry buildings, including entire structures or the core structure, further enhances its sustainable properties


Visit basalite-cmu.com/epds-dupont to download Basalite's Environmental Product Declarations (EPD's).

For texture availability please refer to the

Standard

BRING A NEW **DIMENSION**

ABRI units are available in five shapes and are suitable for vertical or horizontal placement. This opens up a world of possibilities to create unique and fresh wall designs with unexpected profiles and combinations.





For texture availability please refer to the


letter designation under each shape.















P | Precision










4x4x16x8

L Corner Solid

P | SF | GF




4x16x16 Solid

4x8x16x8

L Corner


SHAPES | 6 INCH CMU




Standard


P | SF | GF







6x4x16 Standard P | SF | GF



6x4x16 **Bond Beam**

P | SF | GF


6x8x16 **Bond Beam**


P | SF | GF


SF | Split Face


GF | Ground Face


SHAPES | 8 INCH CMU





































SHAPES | 10 INCH CMU



10x8x16


Standard


P | SF | GF




10x4x16

Standard








P | SF | GF

SHAPES | 12 INCH CMU



Precision SF | Split Face GF | Ground Face

P | Precision SF | Split Face

GF | Ground Face

SPECIALTY | CMU


For texture availability please refer to the letter designation under each shape.

SPECIALTY | INSULATION



7x4x16


Evolver Sill Solid




9x4x16 Evolver Sill Solid

8x8x8 Beveled Sill, Drip Groove, Solid


6x8x16 Beveled Sill 2:1 Slope Solid P | SF | GF




6x8x16 Beveled Sill 4:1 Slope Solid P | SF | GF




8x8x8 Sloped Sill, Drip Groove, Solid



8x4x10 Square Sill, Drip Groove, Solid




10x4x16 Beveled Sill, 2:1 Slope, Cored




8x8x8

Sloped Sill, Drip Groove, Cored


10x4x16 Beveled Sill, 2:1 Slope, Solid




12x4x16 Beveled Sill, 4:1 Slope, Cored





10x4x16 Peak Cap















P | Precision GF | Ground Face

ADDED THERMAL **PERFORMANCE**


Korfil® inserts are individually molded from EPS and are designed to create a wall system capable of achieving higher thermal R values than conventional concrete masonry. Not sure which thermal wall system is right for your project? Call 253-964-5000 for more information.






Fits Basalite's 2-core CMU of 6", 8", 10" and 12" widths for use in both single wythe and


cavity wall construction.



Fits Basalite's 2-core CMU. Inserts compress to fit the cores of all masonry units with just



Fits Basalite's 2 cross web CMU of 8", 10, or 12" widths. Suitable for fully or partially grouted walls.



Fits Basalite's 1 cross web masonry units of 12" wide. Suitable for fully grouted walls.

Korfil® Hi-R H



Spec-Brik® Hi-R

This Hi-R insert is designed to fit Spec-Brick units. Suitable for fully or partially grouted walls.



Spec-Brik® Hi-R H

This Hi-R H insulation insert is designed to fit Spec-Brick units. Suitable for fully grouted walls.





INCREASE THE SPEED OF CONSTRUCTION

Spec-Brik® is manufactured to job specifications and delivered quickly, making it ideal for projects requiring fast track construction. The product's smooth, brick-like texture is available in 12 standard colors and custom colors can be produced to your specifications. Visit basalite-cmu.com/northwest-specbrik for color swatches or call 253-964-5000 for product samples.



SPECIALTY | SPEC-BRIK®





COLORS & TEXTURES | GROUND FACE

NEED MORE COLOR OPTIONS?


Visit basalite-cmu.com/northwest-all-textures-by-price or call 253-964-5000.

COLORS & TEXTURES | SPLIT FACE

NEED MORE COLOR OPTIONS?


Visit basalite-cmu.com/northwest-all-textures-by-price or call 253-964-5000.

STANDARD COLORS



PREMIUM COLORS









PREMIUM COLORS



Printed colors shown in this brochure may vary from actual product colors. We recommend selecting colors from actual product samples.

Printed colors shown in this brochure may vary from actual product colors. We recommend selecting colors from actual product samples.

COLORS & TEXTURES | PRECISION

NEED MORE COLOR OPTIONS?

Visit basalite-cmu.com/northwest-all-textures-by-price or call 253-964-5000.

COLORS | MORTAR



STANDARD COLORS



PREMIUM COLORS



Printed colors shown in this brochure may vary from actual product colors. We recommend selecting colors from actual product samples.

STANDARD COLORS



PREMIUM COLORS



ULTRA PREMIUM COLORS



BRICK | CLAY

LARGE SELECTION OF **BRICK PRODUCTS**

Basalite® offers a large selection of brick products from partner companies like Interstate Brick, H.C. Muddox and Pacific Clay. Our partners source from regional materials and ship directly from plants located from locations around the Western United States.











